

TRITON SPECIFICATIONS

ENGINE		
Type	3.2L 4 Cyl, DOHC Common rail diesel with Intercooled Turbocharger 4M41	3.5L V6, SOHC, 24 valve Petrol
Engine code		6G74
Bore x stroke	98.5mm x 105.0mm	93.0mm x 85.5mm
Capacity	3200cc	3497cc
Compression ratio	17.0:1	9.0:1
Fuel system	Direct injection common rail	Electronically controlled multi-point injection
Maximum power	118kW @ 3800rpm	135kW @ 4750rpm
Maximum torque	347Nm @ 2000rpm	309Nm @3500rpm
Fuel Economy (ADR 81/01) Test (L/100km)	4x4 CDi MT = 9.1	4x4 V6 MT = 12.9 4x4 V6 AT = 13.0

ELECTRICAL SYSTEM		
Battery	95D31L (662CCA/159RC)	75D23L (520CCA/118RC)
Alternator	12V-90A	12V-120A

CLUTCH	
Manual	Dry single disc clutch with diaphragm spring, hydraulic action
Automatic	3-element torque converter with lock-up Transmission oil cooler

DRIVE TRANSFER SYSTEM (4WD MODELS ONLY)	
Type	"Easy Select" Part Time 4WD Auto front free-wheel differential with synchronesh

BRAKES	
Four wheel power assisted brakes	
Front	Ventilated discs, single piston calipers
Rear	Drums, leading and trailing shoes with Load Sensing Proportioning Valve
ABS with EBD available on all models	(When fitted, ABS with EBD replaces Load Sensing Proportioning Valve)



4x2				4x4									
Single Cab		Double Cab		Single Cab		Double Cab							
GLX				GLX				GLX-R				GLS	
V6				V6		CDi		V6		V6		CDi	
5MT	4AT	5MT	4AT	5MT		4AT		5MT		4AT		5MT	
1775	1775	1785	1785	1775	1775	1785	1785	1780	1780	1780	1780	1780	1780
5030	5030	5030	5030	5030	5030	5030	5030	5174	5174	5174	5174	5174	5070
1750	1750	1750	1750	1750	1750	1750	1750	1800	1800	1800	1800	1800	1800
200	200	200	200	200	200	200	200	205	205	205	205	205	205
1505	1505	1505	1505	1505	1505	1505	1505	1520	1520	1520	1520	1520	1520
1500	1500	1500	1500	1500	1500	1500	1500	1515	1515	1515	1515	1515	1515
3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000
33.4	33.4	33.4	33.4	33.4	33.4	33.4	33.4	33.4	33.4	33.4	33.4	33.4	33.4
-	-	28.6	28.6	-	-	28.6	28.6	28.6	28.6	28.6	28.6	28.6	28.6
26.7	26.7	26.7	26.7	26.7	26.7	26.7	26.7	26.7	26.7	26.7	26.7	26.7	26.7

DIMENSIONS (MM)													
Overall height	1775	1775	1785	1785	1775	1775	1785	1785	1780	1780	1780	1780	1780
Overall length - with pickup body fitted	5030	5030	5030	5030	5030	5030	5030	5030	5174	5174	5174	5174	5070
Overall width	1750	1750	1750	1750	1750	1750	1750	1800	1800	1800	1800	1800	1800
Ground clearance	200	200	200	200	200	200	200	205	205	205	205	205	205
Track - front	1505	1505	1505	1505	1505	1505	1505	1520	1520	1520	1520	1520	1520
Track - rear	1500	1500	1500	1500	1500	1500	1500	1515	1515	1515	1515	1515	1515
Wheelbase	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000
Approach angle (°)	33.4	33.4	33.4	33.4	33.4	33.4	33.4	33.4	33.4	33.4	33.4	33.4	33.4
Departure angle (°)	-	-	28.6	28.6	-	-	28.6	28.6	28.6	28.6	28.6	28.6	28.6
Ramp breakover angle (°)	26.7	26.7	26.7	26.7	26.7	26.7	26.7	26.7	26.7	26.7	26.7	26.7	26.7

CARGO BED (WHERE FITTED)													
Cargo bed between arches	1085	1085	1085	1085	1085	1085	1085	1085	1085	1085	1085	1085	1085
Cargo bed - floor height	405	405	405	405	405	405	405	405	405	405	405	405	405
Cargo bed - height	845	845	845	845	845	845	845	850	850	850	850	850	850
Cargo bed - length	2220	2220	1325	1325	2220	2220	1325	1325	1325	1325	1325	1325	1325
Cargo bed - width	1470	1470	1470	1470	1470	1470	1470	1470	1470	1470	1470	1470	1470



SUSPENSION	
Front	Front double wishbone with coil and front stabiliser
Rear	Rigid - elliptic leaf spring

STEERING	
Power assisted rack and pinion steering	

WHEELS AND TYRES	GLX 4x2	GLX 4x4 Single Cab	GLX 4x4 Double Cab	GLX-R / GLS
Wheel type	Steel - 16"x 6"	Steel - 16"x 6"	Steel - 16"x 6"	Alloy - 16" x 7"
Tyres*	205R16C 110/108R 8PR	205R16C 110/108R 8PR	205/80R16 104S RF	245/70R16 111S RF

*The tyres fitted to your Triton are designed primarily for use on sealed roads. If your Triton is to be driven mainly on unsealed roads, please consult your Mitsubishi dealer for advice on appropriate tyre selection.


FUEL TANK				
Capacity	75L			

TRANSMISSION	V6 Manual	V6 Auto	CDi Manual GLX	CDi Manual GLX-R / GLS
First	4.313	2.842	4.313	4.313
Second	2.330	1.495	2.330	2.330
Third	1.436	1.000	1.436	1.436
Fourth	1.000	0.731	1.000	1.000
Fifth	0.789	-	0.789	0.789
Reverse	4.220	2.720	4.220	4.220

RATIOS				
High	1.000	1.000	1.000	1.000
Low	1.900	1.900	1.900	1.900

TRANSFER RATIO				
High	1.000	1.000	1.000	1.000
Low	1.900	1.900	1.900	1.900

FINAL DRIVE				
Final gear ratio	4.300	4.300	3.917	4.100


	4x2				4x4								
	Single Cab		Double Cab		Single Cab				Double Cab				
	GLX				GLX				GLX-R				GLS
	V6		V6		V6	CDi	V6	CDi	V6	V6	CDi	CDi	
	5MT	4AT	5MT	4AT	5MT				4AT	5MT			

CAPACITIES (KG)												
Gross vehicle mass	2750	2750	2720	2720	2840	2930	2840	2930	2840	2840	2930	2930
Kerb mass	1600	1615	1695	1705	1700	1810	1795	1905	1825	1835	1920	1920
Kerb mass (with full optional parts)	1640	1655	1755	1765	1750	1860	1860	1970	1915	1925	2010	2010
Maximum payload*	1150	1135	1025	1015	1140	1120	1045	1025	1015	1005	1010	1010
Gross combination mass	4475	4475	4445	4445	5000	5000	5000	5000	5000	5000	5000	5000
Maximum front axle load	1250	1250	1250	1250	1260	1260	1260	1260	1260	1260	1260	1260
Maximum rear axle load	1800	1800	1800	1800	1800	1800	1800	1800	1800	1800	1800	1800
Maximum towing capacity												
- with trailer brakes**	1800	1800	1800	1800	2300	2300	2300	2300	2300	2300	2300	2300
Maximum towing capacity												
- without trailer brakes	750	750	750	750	750	750	750	750	750	750	750	750
Maximum towball download	180	180	180	180	230	230	230	230	230	230	230	230
Seating capacity	3	3	5	5	3	3	5	5	5	5	5	5

* Payload includes occupants, fuel and fitted options (if any). The weight of these must be deducted from payload to determine actual load carrying capacity. Front and/or rear axle loads must not be exceeded.

** Subject to state regulations and towbar design.

TURNING CIRCLE												
Metres (kerb to kerb)	11.4	11.4	11.4	11.4	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8

	4x2 Models				4x4 Models							
	GLX				GLX-R				GLS			
	Single Cab		Double Cab		Single Cab				Double Cab			

MECHANICAL												
3.5 litre V6 petrol 24 valve	S		S		S		S		S		-	
3.2 litre intercooled turbo common rail diesel	-		-		O		O		O		S	
5-speed manual transmission	S		S		S		S		S		S	
4-speed auto transmission (petrol only)	O		O		-		-		O		-	
Engine immobiliser	S		S		S		S		S		S	
Easy Select 4WD	-		-		S		S		S		S	
Auto free wheeling hubs	-		-		S		S		S		S	
Limited slip differential - hybrid type (rear)	S		S		S		S		S		S	
Rear diff lock	-		-		O		O		O		O	
Power steering	S		S		S		S		S		S	
Heavy duty suspension	S		S		S		S		S		S	
Sports suspension	-		-		-		-		S		S	
Engine cover (diesel only)	-		-		S		S		S		S	
Engine under cover	S		S		S		S		S		S	
Transfer case protection	-		-		S		S		S		S	
Simple tool set and jack	S		S		S		S		S		S	
Front recovery point	S		S		S		S		S		S	

CARGO												
Pickup body with double walled tray	O		S		O		S		S		S	
Rear body inner hooks	6		4		6		4		4		4	
One touch gate handle	O		S		O		S		S		S	
Rear window guard frame	S		S		S		S		A1		A1	
Lockable hard tonneau cover with gas struts	-		-		-		-		S		S	
Soft tonneau cover	A		A		A		A		A		A	
Canopy - with windows	A		A		A		A		A		A	
Sports bar	A		A		A		A		S		S	
Towbar package - 2300kg / 230kg	-		-		A		A		A		A	
Towbar package - 1800kg / 180kg	A		A		-		-		-		-	
Aluminium tray - general purpose	A		-		A		-		-		-	
Aluminium tray - heavy duty	A		A		A		A		A		A	
Steel tray - galvanised with smooth floor	A		-		A		-		-		-	
Steel tray - galvanised with timber floor	A		-		A		-		-		-	
Steel tray - galvanised with checkerboard floor	A		-		A		-		-		-	
Tray bed liner	A		A		A		A		A		A	
Link type gate stopper	S		S		S		S		-		-	
Wire type gate stopper	-		-		-		-		S		S	

S : standard O : optional A : dealer fitted accessory - : not available

	4x2 Models		4x4 Models			
			GLX		GLX-R	GLS
	Single Cab	Double Cab	Single Cab	Double Cab	Double Cab	
EXTERIOR						
Chrome door mirrors - electrically controlled	-	-	-	-	S	S
Chrome exterior door handles	-	-	-	-	S	S
Body coloured tailgate handle	-	-	-	-	S	S
Body coloured bumper bars	-	-	-	-	S	S
Fender flares	-	-	-	-	S	S
Chrome grille surround	-	-	-	-	S	S
Wheels - 16" steel	S	S	S	S	-	-
Wheels - 16" alloy	A	A	A	A	S	S
Mudflaps (front)	A	A	S	S	S	S
Mudflaps (rear) - when pickup body fitted	O	S	O	S	S	S
Fog lamps	-	-	-	-	S	S
Driving lights (to fit nudge bar)	A	A	A	A	A	A
Side steps	-	A	-	A	S	S
Nudge bar	A	A	A	A	S	A
Front protection bar* - steel	A	A	A	A	-	-
Front protection bar* - aluminium	A	A	A	A	-	-
Front protection bar* - alloy tubular	A	A	A	A	A	A
Rear protection bar	A	A	A	A	A	A
Side protection moulding - painted	-	-	-	-	-	S
Privacy glass	-	-	-	-	S	S
Front skid plate	S	S	S	S	S	S
INTERIOR						
COMFORT						
Air conditioning	S	S	S	S	S	S
Automatic air conditioning	-	-	-	-	-	S
Side and rear window demisters	S	S	S	S	S	S
Passenger side vanity mirror	-	-	-	-	S	S
Driver's foot rest	S	S	S	S	S	S
Passenger assist grips	1	3	1	3	3	3
CONVENIENCE						
Ticket holder (driver side sunvisor)	-	-	-	-	S	S
Room lamp	S	S	S	S	S	S
Map lamps with sunglass pocket	-	-	-	-	S	S
Door courtesy lamps (front and rear)	-	-	-	-	S	S
Illuminated ignition key	-	-	-	-	S	S
Coat hanger	-	1	-	1	1	1
Cigarette lighter	S	S	S	S	S	S
Ash tray on instrument panel	S	S	S	S	S	S
FUNCTION						
Power mirrors	-	S	-	S	S	S
Central locking with remote keyless entry	S	S	S	S	S	S
Power windows - front and rear with driver auto down function	S	S	S	S	S	S
Rear power window (with switch on centre console) with auto up and down function	-	-	-	-	S	S
Front wipers with two speeds and variable intermittent	S	S	S	S	S	S
Headlamps "ON" audible warning buzzer	S	S	S	S	S	S
Instrument lamp variable dimming control	S	S	S	S	S	S
Digital clock in headlining	S	S	S	S	-	-
Accessory socket in console - 12V	-	S	-	S	S	S
Steering column - tilt adjustable	S	S	S	S	S	S
Steering lock	S	S	S	S	S	S
Analogue instrumentation includes -						
Speedometer with tripmeter, tachometer, fuel and water temperature gauges	S	S	S	S	S	S
Low fuel warning lamp	S	S	S	S	S	S
4WD indicator lamp	-	-	-	-	S	S
Automatic transmission position indicator lamp	O	O	-	-	O	-
Seatbelt warning lamp with timer	S	S	S	S	S	S

*Front protection bars are airbag compatible and comply to the AS Road User Protection Criterion.

S : standard O : optional A : dealer fitted accessory - : not available



	4x2 Models		4x4 Models			
			GLX		GLX-R	GLS
	Single Cab	Double Cab	Single Cab	Double Cab		
STORAGE						
Glove compartment - illuminated and lockable	S	S	S	S	S	S
Centre console storage box with cupholder	-	S	-	S	S	S
In-dash storage box with lid	S	S	S	S	-	-
Storage pocket in doors	2	2	2	2	2	2
Bottle holder	2	4	2	4	4	4
STYLE						
Alloy sports pedals (manual transmission only)	A	A	A	A	S	S
Floor covering - vinyl	S	S	S	S	-	-
Floor covering - carpet	-	-	-	-	S	S
Carpet mats with GLX-R logo	-	-	-	-	S	-
Protective floor mats - rubber or carpet	A	A	A	A	A	A
Titanium look instrument panel and surrounds	-	-	-	-	S	S
Chrome interior door handles	-	-	-	-	S	S
Leather bound steering wheel	-	-	-	-	S	S
Leather bound gearshift lever (manual transmission)	A	A	A	A	S	S
Leather bound 4WD transfer-shift lever	-	-	A	A	S	S
SEATING						
Front seat split bench with slide and recline function (driver side)	S	-	S	-	-	-
Front sports seats with slide and recline function (driver and passenger)	-	S	-	S	S	S
Front seat adjustable seat belt anchors	-	-	-	-	S	S
Rear seat headrests	-	S	-	S	S	S
Seat trim - cloth	S	S	S	S	-	-
Seat trim - sports cloth	-	-	-	-	S	-
Seat trim - leather	-	-	-	-	-	S
Power driver seat with slide, recline, and dual height function	-	-	-	-	-	S
Rear centre arm rest with cupholder	-	-	-	-	S	S
Convenience hooks	1	2	1	2	2	2
MEDIA						
Multi-function display with clock (includes date), outside temperature display, compass, barometer, altimeter	-	-	-	-	S	S
Trip computer in multi-function display with range to empty and average fuel consumption functions	-	-	-	-	S	S
AM/FM Radio/CD Tuner with MP3 compatibility	S	S	S	S	S	S
Audio information in multi-function display	-	-	-	-	S	S
Speakers	2	4	2	4	6	6
Bluetooth hands free phone operation	A	A	A	A	S	S
SAFETY AND SECURITY						
Driver and passenger SRS airbags	S	S	S	S	S	S
ABS with EBD	O	O	O	O	S	S
Load Sensing Proportioning Valve	S	S	S	S	-	-
Side door impact beams	S	S	S	S	S	S
Child-proof rear door lock	-	S	-	S	S	S
Child restraint anchorage	S	S	S	S	S	S
Halogen headlamps	S	S	S	S	S	S
Illuminated hazard switch	S	S	S	S	S	S
Driver and front passenger seat belt pretensioners	S	S	S	S	S	S
Fuel lid opener - key locked	S	-	S	-	-	-
Fuel lid opener - remote	-	S	-	S	S	S

S : standard O : optional A : dealer fitted accessory - : not available